



EagleVision Co., Ltd.

MATERIAL SAFETY DATA

I. PRODUCT IDENTIFICATION

Trade Name: EAGLE8
Manufacturer: EagleVision Co., Ltd.
Telephone: 042-313-5615
Address: 4-35-8 Tenjincho, Kodaira-city,
Tokyo, Japan
Zip: 187-0004

II. HAZARDOUS COMPONENTS

INGREDIENT NAME	CAS NUMBER	%	PEL&TLV(except as noted)
None			

III. PHYSICAL DATA

Appearance and odor: Dry grey powder / No odor
Boiling Point: Not Applicable Evaporation Rate: Not Applicable
Vapor Pressure: Not Applicable Specific Gravity: 2.1g/cc³
Vapor Density(Air= 1): NA % Volatile by Volume: None
Water Solubility: Part soluble in water Melting Point: NA

IV. FIRE AND EXPLOSION DATA

Flash Point: (Method): Nonflammable
Flammable Limits: NA% UEL: Not determined
Extinguishing Media: NA LEL: Not determined
Unusual Fire and Explosion Hazards: None
Special Fire Fighting Procedures: None

V. HEALTH HAZARD INFORMATION

Exposure from Routine Use: There is currently no evidence of adverse effects resulting from routine exposure.

Effects of Overexposure: High dust concentrations may cause irritation of the nose, throat, and respiratory tract. Respiratory symptoms associated with pre-existing lung disorders may be aggravated by exposure to this material.

Probable Routes of Exposure: Inhalation and ingestion

Delayed Effects: No unusual

Skin Contact: No adverse effects

Emergency first aid procedures:

Eye Contact: Immediately flush the eyes with water. Remove contact lenses and flush eyes with water for 15 minutes, including underneath eyelids. Consult a physician as soon as possible for follow-up treatment.

Skin Contact: Rinse affected area with soap and water.

Inhalation: Remove to fresh air immediately if irritation occurs. Provide oxygen or artificial respiration if required.

Ingestion: No first aid is normally required; however, if swallowed and symptoms develop seek medical attention.

VI. TOXICITY DATA

Oral: Not Established

Dermal: Not Established

Inhalation: Not Established

Carcinogenicity: Not Established

VII. SPECIAL PROTECTION INFORMATION

Personal Protective Equipment:

Protective Gloves: Butyl rubber, nitrile rubber, latex, PVC or other chemical resistant gloves are recommended during handling and application.

Eye Protection: Protective glasses or goggles should be worn.

Respiratory Protection: Use of a dust mask or filtered respirator is recommended during open handling and standard application. Full-face, air-supplied respirators (NIOSH/MSHA approved) may be necessary for extensive enclosed spray applications or for persons particularly sensitive to the materials being used. Always wear dust protective mask when spray-applying this product, sanding, or abrading the dried film, or at any time there is exposure to mist, spray, dust or smoke from the product.

Other Protective Equipment: As may be necessary to prevent skin contact.

VIII. SPILL, LEAK,&DISPOSAL INFORMATION

Emergency Spill and Leak Information: Sweep up and place bulk material in a container and remove to landfill. Flush small spills to sewer with plenty of water. Flush spill area with water.

When discarded or spilled, this product is not a hazardous waste as defined in current federal regulations 40 CFR, Part 261 (RCRA).

This product is not a hazardous substance as defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980(Superfund) or as defined in the current federal regulations 40 CFR, Part 116(Section 311,Clean Water Act).

Disposal Information: Dispose of in a landfill in accordance with all local, state, and federal regulations.

IX. REGULATORY INFORMATION

DOT: Hazard Classification: None. Proper Shipping Name: Cementitious Material
UN Classification #: No special labels required. Not restricted for Domestic Passenger or Cargo Aircraft.

X. SPECIAL PRECAUTIONS AND COMMENTS

Precautions to be taken in Handling and Storage: Keep container(s) closed when not in use. Keep away from children. Do not take internally. Avoid prolonged contact with skin. Wash thoroughly after handling. The product may be slightly hygroscopic and should be stored in a dry area to prevent moisture pickup and caking. This is not a hazardous material as defined in 29CFR, Section 1915.2.

Disclaimer:

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of EagleVision Co., Ltd..

Effective Date: September 1, 2008